

## Bibliografia

- AHUJA M. R. 1991. Giemsa C-Banding in *Fagus sylvatica* L., *Betula pendula* Roth and *Populus tremula* L. *Silvae Genetica* 40, 2, pag 72-75.
- ALISTAIR S.J., Hunt J.M., MARTINEZ-IZQUIERDO J.A., PENUELAS J., 2006. Natural selection and climate change: temperature-linked spatial and temporal trends in gene frequency in *Fagus sylvatica*. *Molecular Ecology* 15, 3469-3480.
- ALISTAIR S.J., PENUELAS J., 2007. Extensive spatial genetic structure revealed by AFLP but not SSR molecular markers in the wind-pollinated tree, *Fagus sylvatica*. *Molecular Ecology* (2007) 16, 925-936.
- AYALA F.J., KIGER J.A. 1987. *Genetica moderna* Zanichelli.
- Art.6. (5/6/1992). Convenzione sulla diversità Biologica. Rio de Janeiro.
- BUITEVELD J., VENDRAMIN G. G., LEOPARDI S., KAMER K., GEBUREK T., 2007. Genetic diversity and differentiation in European beech (*Fagus sylvatica* L.) stands varying in management history. *Forest Ecology and Management* 247, 98-106.
- CHIRICI G., BARBATI A., MASELLI F., 2007. Modeling of Italian net forest primary productivity by the integration of remotely sensed and GIS data. *Forest Ecology and Management* 246, 285-295.
- COMPS, B., GOMORY, D., LETOUZEY, J., THIE' BAUT, B., PETIT, R.J., 2001. Diverging trends between heterozygosity and allelic richness during postglacial colonization in the European beech. *Genetics* 157, 389-397.
- COSTANTINI G., BELLOTTI A., MANCINO G., BORGHETTI M., FERRARA A., 2006. Carta forestale della Basilicata - Atlante. Regione Basilicata-dipartimento ambiente, territorio, politiche della sostenibilità. Sezione: analisi delle principali superfici boscate e territorio. Pag 15-17, INEA Potenza.
- FAO newsroom, 2006.
- [http://www.fao.org/newsroom/en/focus/2006/1000247/article\\_1000248en.html](http://www.fao.org/newsroom/en/focus/2006/1000247/article_1000248en.html)
- FIGLIUOLO G., SPAGNOLETTI ZEULI., 1993. Utilizzo di marcatori molecolari nella stima della diversità genetica in *Aegilops geniculata* Roth. *Quad. Bot. Ambientale Appl.* 4, 31-39.
- FIGLIUOLO G., 2007. Cambiamenti climatici e diversità genetica delle foreste: implicazione per la salvaguardia della risorsa idrica. Matera, 28 Giugno 2007, Pinacoteca Provinciale. Giornata mondiale per la Lotta alla Desertificazione.
- HARTL D., CLARK A., 1989. *Principles of population genetics*. 2nd edition. Sinauer Associates, Inc. Publishers, Sunderland, USA.
- HEWITT G., 2000. The genetic legacy of the Quaternary ice ages. *Nature* Vol. 405, pag. 907-912.
- Inventario Nazionale delle Foreste e dei Serbatoi Forestali di Carbonio INFC. 2005. Le stime di superficie. Ministero delle Politiche agricole, alimentari e forestali. Corpo Forestale dello Stato - Ispettorato Generale.
- [http://www.istat.it/istat/eventi/2007/forestali/inventario\\_foreste\\_serbatoi\\_carbonio.pdf](http://www.istat.it/istat/eventi/2007/forestali/inventario_foreste_serbatoi_carbonio.pdf)

- IPCC (04/2002, 2007). Climate change and biodiversity. Intergovernmental Panel on Climate Change, WMO, UNEP. Edited by: Habiba Gitay, Australian National University, Avelino Suarez Ministry of Science, Technology, and Environment Cuba. David Jhon Dokke, University corporation for Atmospheric Research, Robert T. Watson, The World Bank. Pag. 1-5. <http://www.grida.no/climate/ipcc/regional/100.htm>.
- LEDIG F.T., 1986. Heterozygosity, heterosis and fitness in outbreeding plants, pp. 77-104 in *Conservation Biology: The Science of Scarcity and Diversity*, edited by M.E. Soule. Sinauer Sunderland, Mass.
- LEWIS, P.O., ZAYKIN D 2001. Genetic Data Analysis: Computer program for the analysis of allelic data. Version 1.0 (d16c). Programma distribuito sul sito internet: <http://lewis.eeb.uconn.edu/lewishome/software.html>.
- MAGRI D., VENDRAMIN G.G., COMPS B., DUPANLOUP I., GEBURECK T., GOMORY D., LATALOWA M., PAULE L., ROURE J., TANTAU I., VAN DER KNAAP W.O., PETIT R., DE BEAULIEU L., 2006. A new scenario for the Quaternary history of European beech populations: paleobotanical evidences and genetic consequences. *New Phytologist* 171, 199-221.
- MANEL S., SCHWARTS M.K., LUIKART G., TABERLET P., 2003. Landscape genetics: combining landscape ecology and population genetics. *Trends in Ecology and Evolution* Vol. 18 No. 4, pag. 189-197.
- M.E.A., 2005. A report of the millennium ecosystem assessment. *Ecosystems and Human well-being*. Island Press, Washington, DC.
- MERZEAU D., COMPS B., THIEBAUT B., LETOUZEY J., 1994. Estimation of *Fagus sylvatica* L mating system parameters in natural populations. *Ann. Sci. Forest* 51: 163-173.
- MUONA, O., 1989. Population genetics in forest tree improvement. In: Brown, A.H.D., Cleggs, M.T., Kahler, A.L., Weir, B.S. (Eds.), *Plant Population Genetics, Breeding and Genetic Resources*. Sinauer Associates, Sunderland, MA, pp. 287-298.
- NOSS R.F., 1999. Assessing and monitoring forest biodiversity: a suggested framework and indicators. *Forest Ecology and Management* 115, 135-146.
- OHSAWA T., Ide Y., 2007. Global patterns of genetic variation in plant species along vertical and horizontal gradients on mountains. *Global Ecology and Biogeography* 2007, 1-12.
- Doi: 10.1111/j 1466-8238.2007.00357.x. [www.blackwellpublishing.com/geb](http://www.blackwellpublishing.com/geb)
- PASTORELLI R., SMULDERS M.J.M., VAN'T WESTENDE W.P.C., VOSMAN B., GIANNINI R., VETTORI C., and VENDRAMIN G.G, 2003. Characterization of microsatellite markers in *Fagus sylvatica* L. and *Fagus orientalis* Lipsky. *Molecular Ecology Notes* 3, 76-78.
- PAVARI A., 1916. Studio preliminare sulla coltura delle specie forestali esotiche in Italia. *Ann. R. Ist. Sup. For. Naz.* I: 159-379.
- PETI R.J., EL MOUSADIK A., PONS O., 1998. Identifying Populations for Conservation on the Basis of Genetic Markers. *Conservation Biology*, pag. 844-855, Vol. 12, No. 4.
- PIGNATTI S., 1998. *I boschi d'Italia, sinecologia e diversità*. UTET, Torino.

- PIGNATTI S., 1982. "Flora d'Italia". Edagricole.
- PIUSSI P., 1994. Selvicoltura generale. UTET, Torino.
- POMARICO M., FIGLIUOLO G., RANA G.L., 2004. Biodiversity in one of the southernmost European distribution area. *Biodivers Conserv* 16, 3447-3461.
- SAMBROCK, FRITSCH and MANIATIS, 1989. *Molecular Cloning, A laboratory manual*. Second edition. Vol.1, 2, 3.
- SANDER T., KONIG S., ROTHE G.M., JANSEN A., WEISGERBER H., 2000. Genetic variation of European beech (*Fagus sylvatica* L.) along an altitudinal transect at mount Vogelsberg in Hesse, Germany. *Molecular Ecology* 9, 1349-1361.
- SCALFI M., TROGGIO M., PIOVANI P., LEOPARDI S., MAGNASCHI G., VENDRAMIN G.G., MENOZZI P., 2004. A RAPD, AFLP and SSR linkage map, and QTL analysis in European beech (*Fagus selvatica* L.). *Theor. Appl. Genet.* 108, 433-441.
- SCOTTI I., PAGLIA G., MAGNI F., MORGANTE M., 1999. Microsatellite markers as a tool for the detection of intra - and interpopulational genetic structure. Chapter 8 in: *Which DNA marker for which purpose? Final compendium of the research project development, optimisation and validation of molecular tools for assessment of biodiversity in forest trees in the European Union DGXII Biotechnology FW IV research programme molecular tools for biodiversity*. Gillet, E.M. (ed.). 1999 <http://webdoc.sub.gwdg.de/ebook/y/1999/whichmarker/index.htm>.
- SEBASTIANI F., CARNEVALE S., VENDRAMIN G.G., 2004. A new set of mono and dinucleotide chloroplast microsatellites in Fagaceae. *Molecular Ecology Notes* 4, 259-261.
- SLATKIN M., 1987. Gene flow and the geographic structure of natural populations. *Science* 236: 787-792.
- TABERLET P., FUMAGALLI L., WUST-SAUCY A.G., COSSONS J.F., 1998. Comparative phylogeography and postglacial colonization routes in Europe. *Molecular Ecology* 7, 453-464.
- TABERLET P., 1998. Biodiversity at the intraspecific level: The comparative phylogeographic approach. *Journal of Biotechnology* 64, 91-100.
- TANAKA, K., TSUMURA, Y., NAKAMURA, T., 1999. Development and polymorphism of microsatellite markers for *Fagus crenata* and the closely related species *F. japonica*. *Theor. Appl. Genet.* 99, 11-15.
- TransPrep Chemistry Protocol, 2002. Applied Biosystem.
- VORNAM B., DECARLI N., GAILING O., 2004. Spatial distribution of genetic variation in a natural beech stand (*Fagus sylvatica* L.) based on microsatellite markers. *Conserv. Genet.* 5, 561-570.
- VETTORI C., VENDRAMIN G.G., ANZIDEI M., PASTORELLI R., PAFFETTI D., GIANNINI R. 2004. Geographic distribution of chloroplast variation in Italian populations of beech (*Fagus sylvatica* L.). *Theoretical Applied Genetic* 109: 1-9.
- WANG K.S., 2004. Gene Flow in European beech (*Fagus sylvatica* L.). *Genetica* 122: 105-113.
- WEIR B.S., COCKERHAM C., 1984. Estimating F-statistics for the analysis of population structure. *Evolution* 38(6), 1358-1370.

WEIR B.S. 1996. Genetic data analysis II. Sinauer Associates, Inc. Sunderland Mass. CA.

WRIGHT S., 1951. The genetic structure of populations. *Ann. Eugen.* 15: 323-354.

WIDMER A., LEXER C., 2001. Glacial refugia: sanctuaries for allelic richness, but not for gene diversity. *Trends in Ecology & Evolution* Vol. 16 No.6 pag 267-269.